





# Flake




Timeless elements








White Small



White Medium

**White Small** 60x60/24"x24" R MK72  
60x60/24"x24" Soft R MK71

**White Medium** 60x60/24"x24" R MK64  
60x60/24"x24" Soft R MK63





Beige Small




Beige Medium

**Beige Small** 60x60/24"x24" R MK66  
60x60/24"x24" Soft R MK65

**Beige Medium** 60x60/24"x24" R MK58  
60x60/24"x24" Soft R MK57





Light Small




Light Medium

**Light Small** 60x60/24"x24" R MK70  
60x60/24"x24" Soft R MK69

**Light Medium** 60x60/24"x24" R MK62  
60x60/24"x24" Soft R MK61



Dark Small



Dark Medium

**Dark Small** 60x60/24"x24" R MK68  
60x60/24"x24" Soft R MK67

**Dark Medium** 60x60/24"x24" R MK60  
60x60/24"x24" Soft R MK59

**SOFT Caratteristiche/Features/Caracteristiques/Eigenschaften/Eigenschappen/Características**



UNI EN ISO 10545/14

Classe 5 / Class 5



ANSI A137.1-2012 (BOT3000)

> 0,42 Wet

**MATT Caratteristiche/Features/Caracteristiques/Eigenschaften/Eigenschappen/Características**



UNI EN ISO 10545/14

Classe 5 / Class 5



DIN 51130

R10



B.C.R.A. Rep. CEC/81

Asciutto > 0,40 / Bagnato > 0,40




ANSI A137.1-2012 (BOT3000)

> 0,42 Wet

**Pezzi speciali/Trim tiles/Pieces speciales/Formteile/Speciale delen/Piezas especiales**



**Battiscopa**



**7x60/27<sup>8</sup>/<sub>16</sub>"x24" R**

Beige Medium **MK73**  
Dark Medium **MK74**  
Light Medium **MK75**  
White Medium **MK76**

**7x60/27<sup>8</sup>/<sub>16</sub>"x24" R**

Beige Small **MK77**  
Dark Small **MK78**  
Light Small **MK79**  
White Small **MK80**

**Imballi/Packing/Emballage/Verpackungseinheiten/Verpakking/Embalajes**

	pcs x box	m <sup>2</sup> / m x box	kg x box	box x pallet	m <sup>2</sup> x pallet	kg x pallet
<b>60x60/24"x24"</b>	3	1,0800	22,65	40	43,20	906,00
<b>7x60/27<sup>8</sup>/<sub>16</sub>"x24" Battiscopa</b>	10	6,0000	9,00	70	420,00	630,00

The MATT and SOFT finishes are recommended for interior floors, walls, and exterior walls in both residential and commercial applications. Flake is not recommended for exterior horizontal surfaces or exterior paving, and they are not recommended for ramps application. The SOFT finish is not recommended for interior floors in entrance areas if joined to outdoor in commercial applications.



Ceramiche Refin  
SpA

Sede legale  
Via I Maggio, 22  
Salvaterra  
42013 Casalgrande (RE)  
Italia

Showroom aziendale  
Via G. Ambrosoli, 5  
Salvaterra  
42013 Casalgrande (RE)  
Italia

t +39 0522 990 499  
f<sub>ITA</sub> +39 0522 849 270  
f<sub>ESP</sub> +39 0522 990 578  
e [info@refin.it](mailto:info@refin.it)

[refin.it](http://refin.it)

